**MLF** 

No

**Section Id:** 64065359211

Section Number:

Section type: Online

Mandatory or Optional: Mandatory

Number of Questions :11Number of Questions to be attempted :11Section Marks :40Display Number Panel :Yes

**Section Negative Marks:** 0

Group All Questions : No

**Enable Mark as Answered Mark for Review and** 

Clear Response : Section Maximum Duration : 0

Section Minimum Duration: 0

Section Time In: Minutes

Maximum Instruction Time: 0
Sub-Section Number: 1

**Sub-Section Id:** 640653122725

**Question Shuffling Allowed:** No

Question Number: 50 Question Id: 640653825036 Question Type: MCQ

Correct Marks: 0

Question Label: Multiple Choice Question

THIS IS QUESTION PAPER FOR THE SUBJECT "DIPLOMA LEVEL: MACHINE LEARNING

FOUNDATIONS (COMPUTER BASED EXAM)"

ARE YOU SURE YOU HAVE TO WRITE EXAM FOR THIS SUBJECT?
CROSS CHECK YOUR HALL TICKET TO CONFIRM THE SUBJECTS TO BE WRITTEN.

(IF IT IS NOT THE CORRECT SUBJECT, PLS CHECK THE SECTION AT THE <u>TOP</u> FOR THE SUBJECTS REGISTERED BY YOU)

**Options:** 

6406532774792. **✓** YES

6406532774793. \* NO

Sub-Section Number: 2

**Sub-Section Id:** 640653122726

**Question Shuffling Allowed:** No

Question Id: 640653825037 Question Type: COMPREHENSION Sub Question Shuffling Allowed: No Group Comprehension Questions: No Question Pattern Type: NonMatrix

## **Question Numbers: (51 to 52)**

Question Label: Comprehension

Let 
$$A = \begin{pmatrix} 2 & 1 & 1 \\ a & 3 & 2 \\ 3 & b & c \end{pmatrix}$$
 be a  $3 \times 3$  matrix. Let  $\alpha$  be the eigenvalue corresponding

to the eigenvector 
$$v_1 = \begin{pmatrix} 1 \\ 0 \\ -1 \end{pmatrix}$$
 and  $\beta$  is the eigenvalue corresponding

to the eigenvector 
$$v_1 = \begin{pmatrix} 1 \\ 0 \\ -1 \end{pmatrix}$$
 and  $\beta$  is the eigenvalue corresponding to the eigenvector  $v_2 = \begin{pmatrix} 0 \\ 1 \\ -1 \end{pmatrix}$  of matrix  $A$ . Based on this information, answer the given sub-questions.

answer the given sub-questions.

#### **Sub questions**

Question Number: 51 Question Id: 640653825038 Question Type: SA

**Correct Marks: 3** 

**Question Label: Short Answer Question** 

Find the value of  $\alpha + 2\beta$ . **Response Type:** Numeric

**Evaluation Required For SA:** Yes

**Show Word Count:** Yes **Answers Type:** Equal Text Areas: PlainText **Possible Answers:** 

3

Question Number: 52 Question Id: 640653825039 Question Type: MSQ

Correct Marks: 4 Max. Selectable Options: 0

Question Label: Multiple Select Question Which of the following options is/are true?

**Options:** 

Eigenvectors,  $v_1$  and  $v_2$  are linearly

6406532774795. 

✓ independent.

6406532774796.  $\approx$  Eigenvectors,  $v_1$  and  $v_2$  are orthogonal.

A third eigenvector of A is  $\begin{pmatrix} 1 \\ 2 \\ 3 \end{pmatrix}$  6406532774797.

Question Id : 640653825040 Question Type : COMPREHENSION Sub Question Shuffling Allowed : No Group Comprehension Questions : No Question Pattern Type : NonMatrix

Question Numbers : (53 to 54)

Question Label: Comprehension

Let 
$$A = \begin{pmatrix} 0 & 1 & 1 \\ 1 & 0 & 1 \\ 1 & 1 & 0 \end{pmatrix}$$
 be a  $3 \times 3$  matrix. Use this information to

answer the given subquestions

#### **Sub questions**

Question Number: 53 Question Id: 640653825041 Question Type: MSQ

Correct Marks: 4 Max. Selectable Options: 0

Question Label: Multiple Select Question Which of the following options is/are true?

**Options:** 

6406532774799. **✓** *A* is a symmetric matrix.

6406532774800. **\*** *A* is a diagonal matrix.

6406532774801. **✓** *A* is orthogonally diagonalizable.

6406532774802. **✓** Eigenvalues of *A* are -1, -1 and 2.

Question Number: 54 Question Id: 640653825042 Question Type: MSQ

Correct Marks: 3 Max. Selectable Options: 0

Question Label : Multiple Select Question

Let  $v_1$  and  $v_2$  are the eigenvectors of Acorresponding to distinct eigen-values.

We construct a new matrix B using these

eigenvectors as its columns, such that

 $B = [v_1, v_2]$ . Based on this information,

which of the following options are correct?

## Options:

6406532774803.  $\checkmark$  Null space of the matrix B is zero space.

6406532774804.  $\bowtie$  Column space of the matrix B is  $\mathbb{R}^3$ .

6406532774805.

Column space of the matrix B represents a plane in  $\mathbb{R}^3$ .

Null space of the matrix B represents

6406532774806.  $\approx$  a line in  $\mathbb{R}^3$ .

**Sub-Section Number:** 3

**Sub-Section Id:** 640653122727

**Question Shuffling Allowed:** Yes

Question Number: 55 Question Id: 640653825043 Question Type: MSQ

Correct Marks: 4 Max. Selectable Options: 0

Question Label: Multiple Select Question

Let P be the projection matrix for a vector  $a = \begin{pmatrix} 1 \\ 2 \end{pmatrix}$ . Which of the following options is/are true?

#### **Options:**

6406532774807.  $\checkmark$  P is orthogonally diagonalizable.

6406532774808.  $\checkmark$   $P^4 = P$ .

Projection of  $b = \begin{pmatrix} 1 \\ -1 \end{pmatrix}$  on the vector a is  $-\frac{1}{5}a$ .

6406532774810. \* Rank(P) = 2

Sub-Section Number: 4

**Sub-Section Id:** 640653122728

**Question Shuffling Allowed :** Yes

Question Number : 56 Question Id : 640653825044 Question Type : MCQ

**Correct Marks: 4** 

Question Label: Multiple Choice Question

Find the best-fit line for the dataset given below using the least squares method.

$\boldsymbol{x}$	0	2	3	5
y	1	2	4	3

#### **Options:**

6406532774811. 
$$\checkmark$$
  $\hat{y} = 1.34 + 0.46x$ 

6406532774812. \* 
$$\hat{y} = 0.46 + 1.34x$$

6406532774813. \* 
$$\hat{y} = 1.34 - 0.46x$$

6406532774814. \* 
$$\hat{y} = 2.16 + 0.74x$$

Question Number: 57 Question Id: 640653825045 Question Type: MCQ

**Correct Marks: 4** 

Question Label: Multiple Choice Question

The function

$$f(x) = \begin{cases} ax^2 + bx + 1, & \text{if } x < 0 \\ cx + d, & \text{if } x \ge 0 \end{cases}$$

is differentiable at (x = 0). If a, b, c, and d are constants, which of the following must be true?

#### **Options:**

6406532774815. **\*** 
$$a = c$$
 and  $b = 1$ 

6406532774816. 
$$\checkmark$$
  $b = c$  and  $d = 1$ 

6406532774817. **\*** 
$$a = c$$
 and  $d = 1$ 

6406532774818. **\*** 
$$b = d = 1$$

Sub-Section Number:

**Sub-Section Id:** 640653122729

**Question Shuffling Allowed:** Yes

Question Number: 58 Question Id: 640653825046 Question Type: MCQ

**Correct Marks: 3** 

Question Label: Multiple Choice Question

Which of the following statements is true for a function f(x, y) that is differentiable at a point (a, b)?

## **Options:**

6406532774819. ✓ The directional derivative exists in every direction.

6406532774820. \* The directional derivative is the same in every direction.

6406532774821. \* The directional derivative can only be calculated along the axes.

6406532774822. \* The directional derivative does not exist.

Question Number: 59 Question Id: 640653825047 Question Type: MCQ

**Correct Marks: 3** 

Question Label: Multiple Choice Question

Which of the following functions cannot be approximated linearly around x = 0?

**Options:** 

6406532774823. **\***  $f(x) = \sin(x)$ 

6406532774824. \*  $f(x) = \cos(x)$ 

6406532774825.  $\checkmark f(x) = \ln(x)$ 

6406532774826. **\***  $f(x) = x^2$ 

**Sub-Section Number:** 6

**Sub-Section Id:** 640653122730

**Question Shuffling Allowed:** Yes

Question Number : 60 Question Id : 640653825048 Question Type : SA

**Correct Marks: 3** 

Question Label : Short Answer Question

If  $f(x,y) = x^2y + 3xy^2$ , what is the length of the gradient at the point (1,2)?

Enter the answer correct to two decimal places.

**Response Type:** Numeric

**Evaluation Required For SA:** Yes

Show Word Count: Yes
Answers Type: Range
Text Areas: PlainText
Possible Answers:

20.58 to 20.64

Question Number: 61 Question Id: 640653825049 Question Type: SA

**Correct Marks: 3** 

Question Label: Short Answer Question

In a sports analytics company, the team is interested in predicting whether a basketball player will score above 20 points in a game using classification models. They collected data on various factors  $x = [x_1, x_2, x_3]$  from past games of different players. The factors include minutes played, shots attempted, and free throw percentage. The data and corresponding labels are shown in the table below: Compute the misclassification

$\boldsymbol{x}$	y
[1, 5, 0.8]	1
[0, 3, 0.9]	0
[1, 2, 0.7]	0
[1, 8, 0.6]	1
[0, 7, 0.5]	0

rate if they use the following step function:

$$u(z) = \begin{cases} 1, & \text{if } z \ge 3\\ 0, & \text{otherwise} \end{cases}$$

and the linear combination z is given by:  $0.6x_1 + 0.3x_2 + 0.1x_3$ . Enter the answer correct to one decimal place.

Note: Here,  $x_1$  represents whether the player is a starter (1) or not (0),  $x_2$  is the number of shots attempted, and  $x_3$  is the free throw percentage. The label y indicates whether the player scored more than 20 points (1) or not (0). The misclassification rate is the number of labels misclassified.e.g. if 3 out of 5 players are mislabeled then the misclassification rate is 3/5.

Response Type: Numeric

**Evaluation Required For SA:** Yes

Show Word Count: Yes
Answers Type: Equal
Text Areas: PlainText
Possible Answers:

0.2

Sub-Section Number: 7

**Sub-Section Id:** 640653122731

**Question Shuffling Allowed:** Yes

Question Number: 62 Question Id: 640653825050 Question Type: MCQ

**Correct Marks: 2** 

Question Label: Multiple Choice Question

Consider a dataset from an e-commerce company such as Flipkart that has details of customer behavior, which of the following problems can be best approached using clustering?

#### **Options:**

6406532774829. \* Predicting the exact number of sales for each customer segment.

6406532774830. \* Classifying customers into segments based on labeled customer data.

6406532774831. ✓ Identifying inherent groupings in customer data without predefined labels.

6406532774832. Reducing the number of features in the customer dataset.

# **Business Analytics**

**Section Id:** 64065359212

Section Number: 5

Section type: Online

Mandatory or Optional: Mandatory

Number of Questions: 6

Number of Questions to be attempted: 6

Section Marks: 20

**Display Number Panel:** Yes

Section Negative Marks: 0

Group All Questions: No

**Enable Mark as Answered Mark for Review and** 

Clear Response :

**Section Maximum Duration:** 0

**Section Minimum Duration:** 0

Section Time In: Minutes

Maximum Instruction Time: 0

Sub-Section Number: 1

**Sub-Section Id:** 640653122732

**Question Shuffling Allowed:** No

Question Number: 63 Question Id: 640653825051 Question Type: MCQ

**Correct Marks: 0** 

Question Label: Multiple Choice Question

THIS IS QUESTION PAPER FOR THE SUBJECT "DIPLOMA LEVEL: BUSINESS ANALYTICS

(COMPUTER BASED EXAM)"

ARE YOU SURE YOU HAVE TO WRITE EXAM FOR THIS SUBJECT?
CROSS CHECK YOUR HALL TICKET TO CONFIRM THE SUBJECTS TO BE WRITTEN.

(IF IT IS NOT THE CORRECT SUBJECT, PLS CHECK THE SECTION AT THE <u>TOP</u> FOR THE SUBJECTS REGISTERED BY YOU)

**Options:** 

6406532774833. VYES

6406532774834. \*\* NO

Sub-Section Number: 2

**Sub-Section Id:** 640653122733